

INDEX MAPS.

T. 26N, R. 4W. 2nd Mer.

Meanders 85

	65		65		64		64		64		63	
67	6	84	5	80	4	76	3	74	2	70	1	63
	84		84		79		76		73		70	
66	7	83	8	79	9	76	10	73	11	70	12	63
	83		83		79		75		72		69	
66	18	83	17	79	16	75	15	72	14	69	13	63
	82		82		78		75		72		69	
66	19	82	20	78	21	75	22	72	23	69	24	62
	82		81		78		75		71		68	
66	30	81	29	78	28	74	27	71	26	68	25	62
	81		81		77		74		71		67	
66	31	81	32	77	33	74	34	71	35	67	36	62
	61		61		61		61		61		61	

T. 27N, R. 4W. 2nd Mer.

	94		94		93		93		93		93	
96	6	115	5	111	4	107	3	103	2	100	1	92
	115		115		110		106		103		99	
96	7	114	8	110	9	106	10	102	11	99	12	92
	114		114		110		106		102		99	
96	18	114	17	109	16	105	15	102	14	98	13	92
	113		113		109		105		101		98	
95	19	113	20	109	21	105	22	100	23	98	24	92
	112		112		108		104		101		97	
95	30	112	29	108	28	104	27	101	26	97	25	91
	112		111		108		104		100		97	
94	31	111	32	107	33	103	34	100	35	96	36	91
	90		90		90		89		89		89	

The figures on the lines refer to the page.

01

Township N. 20 North, Range N. 24 West 2. Mer. Ind.

Township Lines.

South Boundary. Var. 5° 25' E.

West on the S. Boundary of Sec. 36

40.00 raised a Mound in Prairie for q. sec. cor.

80.00 set post cor. of sec. 35 & 36 in Mound in Prairie
Poor 2^d rate Prairie, part level, part rolling

West on the S. Boundary of Sec. 35

40.00 raised a Mound for q. sec. cor.

80.00 set post in Mound cor. of sec. 34 & 35
Level inferior 2^d rate land

West on the S. Boundary of Sec. 34

5.00 enter Muskrat Pond

23.00 leave the same - dry

36.00 enter dry Pond

40.00 raised a Mound in dry Pond for q. sec. cor.

42.00 leave the dry Pond

80.00 set post in Mound cor. of sec. 33 & 34

First 1/2 mile poor wet 3^d rate, 2 1/2 mile
level 2^d rate Prairie land

West on the S. Boundary of Sec. 33

40.00 raised a Mound for q. sec. cor.

80.00 set post in Mound cor. of sec. 32 & 33

Level rich 2^d rate Prairie land

West on the S. Boundary of Sec. 32

40.00 raised a Mound in Prairie for q. sec. cor.

80.00 set post in Mound cor. of sec. 31 & 32 from
which a Stone 4 feet in dia. at Base & 2 feet high
bears S 33 E 57 1/2 lb. dist. & another Stone 3 feet
in dia. at Base & 2 feet high bears S 67 W 48
lb. dist.

Level 2^d rate land, all Prairie

West on the S. Boundary of Sec. 31

T. 26 N., R. 4 W. 2. Mer. Ind. a

Ch. 2.

40.00 raised a Mound for g. sec. cor.

77.79 Intersect Range line 239th. S. of post -
 where raised a Mound cor. of T. 25 & 26 N., R.
 4 & 5 W. from which a Stone 3 feet in diam.
 48 in. high bears S 38 E 34th. dist & another
 Stone bears N 71 E 105th. dist.
 Land 2^d rate land, all Prairie
 Thomas Brown, D. S.

East Boundary. Var. 6th 10' E.

Beginning at a Mound raised for cor. of
 T. 25 & 26, R. 3 & 4 W. Thence

North on the E. Boundary of Sec. 36

40.00 set g. sec. post in Prairie, no Bearing trees
 80.00 set post cor. of sec. 25 & 36 & raised a Mound
 (Description of land & omitted)

North on the E. Boundary of Sec. 25

40.00 set g. sec. post from which
 a Hickory 14 in. diam. bears N 55 W 128th. dist &
 a B. Oak 6 " " " N 36 E 137 " "

42.00 a grove of Oak & Hickory

45.22 a B. Oak 22 in. diam.

45.50 enter Prairie

80.00 set post cor. of sec. 24 & 25 & raised a Mound
 Land 1st rate

North on the E. Boundary of Sec. 24

40.00 set g. sec. post in Prairie barrens from which
 a Hickory 20 in. diam. bears S 47 W 390th. dist.
 (no other Bearing trees)

61.75 a Stream 30th. wide course S E

71.00 leave Prairie

80.00 set post cor. of sec. 13 & 24 from which
 a Hickory 5 in. diam. bears S 37 W 80th. dist. &
 a W. Oak 20 " " " N 68 W 46 " "

This line is all most all 1st rate Prairie & Barrens

T. 26 N., R. 4 W. 2. Mer. Ind. a.
 Cts. Shp.

North on the E. Boundary of Sec. 13

24.97 a W. Oak 19 in. dia.

40.00 set of sec. post from which

a W. Oak 22 in. dia bears S 28° W 90 yds. dist. S

at Hickory 6 " " " N 46° W 53 " "

77.85 a B. Oak 36 " "

80.00 set post on. of sec. 12 & 13 from which

a B. Oak 36 in. dia bears South 280 yds. dist. S

a Spr 30 " " " S 38° W 165 " "

Land level at T. rate with some Oak timber

North on the E. Boundary of Sec. 12

15.42 a W. Oak 18 in. dia.

40.00 set of sec. post from which

a Hickory 18 in. dia bears S 56° W 22 yds. dist. S

a W. Oak 20 " " " N 54° W 59 " "

50.25 enter Prairie

80.00 set post on. of sec. 10 & 12 & raised a Mound

Land T. rate dry Prairie

North on the E. Boundary of Sec. 1

40.00 set of sec. post in Prairie

80.00 set temp. Towns. cr.

81.82 to post in Mound cr. of T. 26 & 27 N. R. 4 W. 3 & 4

W— Land T. rate Prairie

May 11. 1818 David Willis

Dep. Surveyor.

North Boundary. Var. 5° 45' E.

West on the S. Boundary of Sec. 36, T. 27 N., R. 4 W

17.50 a Pond

21.00 leave Pond, supposed to contain 3 Acres N

40.00 raised a Mound for g. sec. cr.

74.00 enter Pond

77.00 leave the same, dry

80.00 set post in Mound cr. of sec. 35 & 36

Level wet 2 & 3. rate Land, all Prairie

T. 26 N., R. 4 W. 2^d Mer. Ind. ^a

Chs. Chs.

West on the S. Boundary of Sec. 35, T27N, R4W
40.00 raised a Mound for g. sec. en.

73.50 enter Pond

77.50 leave the same, dry 2 or 3 Acres

80.00 raised a Mound en. of sec. 34 & 35

First $\frac{1}{2}$ mile level dry S. rate, $2\frac{1}{2}$ mile rough
wet S. rate Prairie land

West on the S. Boundary of Sec. 34, T27N, R4W

10.00 enter Pond

13.50 leave do 2 or 3 Acres N.

17.00 enter Pond, 8 or 8 Acres S.

25.50 leave the same, timber Oak &c.

27.82 a B. Oak 20 in. dia.

29.50 enter Pond, 8 or 10 Acres, S. See bearing up

40.00 set g. sec. post in W. edge of Pond from which
a W. Oak 24 in. dia. bears S38 $\frac{1}{2}$ W180 lbs. dist. 8
a do 22 " " " N89W227 " "

41.00 leave Pond

50.13 a W. Oak 24 in. dia.

60.00 enter wet Prairie

79.00 leave " "

80.00 set post en. of sec. 33 & 34 from which

a Span. Oak 3 in. dia. bears S11 $\frac{1}{2}$ W102 lbs. dist. 8

a B. Oak 20 " " " N50W208 " "

Level poor S. rate land, timber Oaks &c. Upr.
Oak, Hickory &c.

West on the S. Boundary of Sec. 33, T27N, R4W

35.42 a W. Oak 20 in. dia.

40.00 set g. sec. post from which

a W. Oak 20 in. dia. bears N49E238 lbs. dist. 8

a do 24 " " " N69E277 " "

46.00 enter wet Prairie

55.00 leave " "

59.66 a W. Oak 24 in. dia.

T. 26 N., R. 4 W. L. Mer. Ind. ^a

Chs. Chs.

71.00 enter rough wet Prairie

80.00 set part cor. of sec. 32 & 33 from which
 a double W. Oak 22 in. diameter N 20° W 390 lbs. dirt &
 a W. Oak 24 " " " N 38° E 662 " "
 Part level, part rolling 2nd rate & 3rd rate land,
 timber W & B. Oak, Hickory & Upr. Oak, Hick.

West on the S. Boundary of Sec. 32, T. 27 N., R. 4 W.

15.00 enter timbered land

17.66 a B. Oak 24 in. dia.

40.00 set of sec. part from which

a W. Oak 24 in. diameter N 86° E 74 lbs. dirt &

a Do 22 " " " N 64° W 74 " "

68.82 a Do 24 " "

69.00 enter wet Prairie

80.00 set part cor. of sec. 31 & 32 from which

a B. Oak 14 in. diameter N 80 3/4° E 137 lbs. dirt &

a W. Oak 24 " " " N 73° W 1170 lbs. "

Rolling poor barren 3rd rate land, timber W & B.
 Oak, Hickory & Upr. Oak &c.

West on the S. Boundary of Sec. 31, T. 27 N., R. 4 W.

16.50 leave wet Prairie, scattering timber

24.50 enter Pond or Swamp

31.00 leave the same, 4 or 5 Acres, N

40.00 set of sec. part from which

a W. Oak 14 in. diameter S 34° E 84 lbs. dirt &

a B. Oak 26 " " " N 73° W 37 1/2 " "

59.97 a W. Oak 20 " "

77.94 a point 332 lbs. N. of temp. Town. cor. part -

after extending the Range line to the same

point, set part cor. of T. 26 & 27 N., R. 4 & 5 W. from

which a W. Oak 20 in. diameter S 38° W 121 lbs. dirt. &

a Do 20 " " " S 74° E 164 " " 47

a Do 24 " " " N 67° E 375 " "

Part level, part rolling 3rd rate land. Dec. 30. 1828

T. 26 N., R. 4 W. 2. Mer. Ind. ^a

Chs. 8 & 9 Wet Boundary. Var. 5.50 E.
 North on the E. Boundary of Sec. 36, T. 26 N., R. 5 W.
 40.00 raised a Mound for q. sec. cor.
 80.00 set post in Mound cor. of sec. 25 & 36
 Level rich 2. rate Prairie

North on the E. Boundary of Sec. 25, T. 26 N., R. 5 W.
 40.00 raised Mound in Prairie for q. sec. cor.
 80.00 set post in Mound cor. of sec. 24 & 25
 Level wet 3. rate land, all Prairie

North on the E. Boundary of Sec. 24, T. 26 N., R. 5 W.
 40.00 raised a Mound for q. sec. cor.
 80.00 set post in Mound cor. of sec. 13 & 24
 Level wet poor 3. rate land, crawfish holes
 & Willow roots plenty

North on the E. Boundary of Sec. 13, T. 26 N., R. 5 W.
 24.00 enter Racoon Pond
 37.50 leave " "
 40.00 raised a Mound for q. sec. cor.
 80.00 set post in Mound cor. of sec. 12 & 13
 Level wet 3. rate land, all Prairie

North on the E. Boundary of Sec. 12, T. 26 N., R. 5 W.
 40.00 set q. sec. post from which
 a B. Oak 20 in. diameter N 4 1/2 E 130 Yds. dist. 8
 a Do 22 " " " N 10 W 100 " " "
 48.00 enter narrow neck of Prairie
 51.00 leave the same
 57.55 an Aspen 18 in. dia.
 58.00 enter Prairie
 68.50 enter timbered land
 78.50 enter wet Prairie. N.E. direction
 80.00 set post cor. of sec. 11 & 12 from which
 a B. Oak 22 in. diameter N 45 1/2 W 170 Yds. dist. 8

T. 26 N., R. 4 W. 2. Mer. Ind. a

Chr. Sp.

a B. Oak 20 in. dia. diam. S 44 W 159 lbs. dirt.
 Level, wet, poor 3^d rate land; timber Oak, Aspen
 & Ulp. Hazel, Willow &c.

North on the Co. Boundary of Sec. 1, T 26 N., R 5 W
 34.00 enter Pond, on Sec

40.00 set gr. sec. post in Pond without Mound or
 Bearing tree

67.00 leave Pond, greatest extent W N W

80.00 set temp. Township corner post.

Level wet 3^d rate land. First 67.00 Chr. wet
 Prairie, the balance timbered with scrubby
 B. M. Oak & Ulp. Willow, Oak, Hickory &c.
 Surveyed in 1828 by Thomas Brown
 Dep. Surveyor.

Subdivision: Var. 5th 50. E.

North between Sec. 35 & 36, T 26 N., R 4 W.

30.00 But E. end of a grove

37.50 Enter Muskrat pond

40.00 Set gr. Sec. post raised mound in pond

48.00 Leave pond supposed area 10 or 12 acres equal
 quantity on each edge of line

78.00 Enter pond harbour for muskrats

80.00 Set post in mound in W. Edge of pond cor. to
 sec. 25. 26. 35. 36 Land sandy inferior 2^d rate
 except the pond area 3^d rate

East on Random Between Sec. 25 & 36

4.50 Leave Muskrat harbour Area 8 Acres

39.00 Enter wet rough firmy Land

40.00 Set temp. gr. Sec post

45.00 Leave wet Land

79.38 Intersected E 90 lbs. S. of post Land part level
 wet part rolling 2^d & 3^d rate

T. 26 N., R. 4 W. 2. Mer. Ind.^a

Wm. Sh.

West Corrected Between Secs. 25 & 26

39.69 Set gr. Sec. post in mound at aver. dist. from which
a point of Grove of beautiful beaver N.E. 1/4
15 or 20 chains

79.38 Sec. Cor.

North Between Secs. 25 & 26

7.00 a fish pond mostly W.

9.50 Leave the same 8 or 9 acres

15.00 Enter Muskrat pond mostly East

30.00 Leave the same 15 or 18 acres Water scumming
in many places

38.00 Enter an arm of same pond

40.00 Set gr. Sec. post in mound in pond

44.50 Leave the same from appearance this pond
extends E. nearly to the grove then takes
a course on the N. side of the same and
must contain 40 or 50 acres though not
measured supposing it may be drained

80.00 Raised mound cor. to Secs. 23. 24. 25. 26
Part level wet part rolling dry sandy all
3^d rate land

East on Random Between Secs. 24 & 25

19.00 Enter a small pond on each side of line

24.00 Leave same 10 or 12 acres

40.00 Set temp gr. Sec. post

79.26 Intersected E. Boundary 94 chs. S. of post
in Mound Level 2^d rate land

West Corrected Between Secs. 24 & 25

39.63 Set gr. Sec. Mound at aver. dist. from which
a Stone 22 in. dia 12 in. high bears 974
849 chs. dist

79.26 Sec. Cor.

T. 26 N., R. 4 W. 2. Mer. Ind.^a
 Chs. Yks.

North Between Secs 23 & 24

40.00 Set gr. Sec. post in Mound

80.00 Raised Mound cor. to Secs 13.14.23.24

First 30.00 poor. net 3^d rate balance of this
 line level 2^d rate land

East on Random Between Secs 13 & 24

40.00 Set temp. gr. Sec. post

64.50 a Stream 20 lks. wide course S.E.

67.00 Scattering timber

79.71 Intersected C. Boundary 169 lks S. of post

First 20.00 level 2^d rate balance 3^d rate
 Rolling land covered with round rugged
 Rocks. Timber Oak & Agr. Wood Hickory
 & Oak gnubs

West Corrected Between Secs 13 & 24

39.85 Set gr. Sec. post in mound at aver. dist.

79.71 Sec. Cor.

North Between Secs 13 & 14

37.00 Enter wet rough net land

40.00 Set gr. Sec. post in mound

43.00 Leave wet finny land

47.00 Enter wet rough finny land

61.00 Leave the same through this wet Marsh
 a Stream must pass though not visible

80.00 Raised Mound cor. to sec. 11.12.13.14

Land part level and net and part rolling
 2^d & 3^d rate all prairie

East on Random Between Secs 12 & 13

From this point a Trading house formerly
 used by a Mr. Morris bears N 16—

23.25 the same house bears North

25.00 Enter Timber

T. 20 N., R. 4 W. 2. Mer. Ind.

Chas. Sha

- 33.50 Enter pond with water
 37.00 Leave the same for 8 acres at & S
 40.00 Set temp. gr. Sec. post
 62.00 Enter wet prairie
 78.00 Leave same
 79.43 Intersected C. Boundary 230 lks. S. of post
 Land part level part rolling 2 & 3 rate
 Timber W. Oak B. Oak Hickory &c Ugr.
 Sassafras &c
-

- West Corrected Between Secs. 12 & 13
 16.78 a Bur Oak 28 in. dia on true line
 39.78 Set gr. Sec. post at aver. dist. from which
 a W. Oak 20 in. dia. bears at 30 W 6 lks. dist
 a Do 24 " " " S 29 655 " "
 79.46 Sec. Cor.
-

- North Between Secs. 11 & 12
 40.00 Set gr. Sec. post raised mound
 80.00 Raised mound cor. to Sec. 1. 2. 11. 12
 Land level wet 3 rate all prairie
-

- East on Random Between Secs. 18 & 12
 40.00 Set temp. gr. Sec. post
 65.00 a Grove bears S. 4. 00
 79.25 Intersected C. Boundary 270 S. of mound
 Level inferior 2 rate land
-

- West Corrected Between Secs. 18 & 12
 39.64 Set gr. Sec. post raised mound at aver. dist.
 79.29 Sec. Cor.
-

- North Between Secs. 18 & 12
 40.00 Set gr. Sec. post in mound
 85.56 Intersected N. Boundary 69 lks. E. of mound
 cor. to Sec. 18 & 2 level wet rough 3 rate land prairie
-

M^{rs}. M^{rs}North Between Secs 34 & 35

- 2.00 Enter wet land
 20.60 Leave Same
 40.00 Set gr. Sec. post in mound
 80.00 Raised mound cor. to Secs 26, 27, 34, 35
 Land part level part wet Rolling dry
 Sandy 3^d rate prairie
-

East on Random Between Secs 26 & 35

- 3.00 Enter small pond
 5.00 Leave same
 38.00 Enter pond at 40.00 Set temp. gr. Sec. post
 44.00 Leave the Same Area 8 acres Water
 64.00 Enter pond
 69.00 Leave " dry 10 acres
 74.50 Enter "
 79.90 Intersected C. Boundary 13 lks. e. of mound
 Land level wet 3^d rate all prairie
-

West Corrected Between Secs 26 & 35

- 39.95 Set gr. Sec. post at aver. dist.
 79.90 Sec. Cor.
-

North Between Secs 26 & 27

- 24.50 Enter pond
 34.50 Leave. do dry
 40.00 Set gr. Sec. post in mound
 80.00 Raised Mound cor. to Secs 22, 23, 26, 27
 Land level 3^d rate prairie
-

East on Random Between Secs 23 & 26

- 40.00 Set temp. gr. Sec. post
 64.00 Enter pond
 68.00 Leave " dry
 79.76 Intersected C. Boundary 25 lks. e. of post
 in Mound Land level 3^d rate
-

T. 26 N., R. 4 W. 2, Mer. Ind.

Wm. Lho.

West Corrected Between Secs. 23 & 26
 39.88 Set gr. Sec. post in mound at aver. dist.
 79.76 Sec. Cor.

North Between Secs. 22 & 23

40.00 Set gr. Sec. post raised mound
 80.00 Raised Mound Cor. to Sec. 14, 15, 22, 23
 Land level net @ 3 rate

East on Random Between Secs. 14 & 23

40.00 Set temp gr. Sec. post
 44.00 Enter pond and net ferny land
 68.50 Leave " dry
 79.47 Intersected C. Boundary 12 lks. et. of post
 in Mound level poor. net 3 rate land
 all prairie

West Corrected Between Secs. 14 & 23

39.78 Set gr. Sec. post in mound at aver. dist.
 79.47 Sec. Cor.

North Between Secs. 14 & 15

40.00 Set gr. Sec. post in mound
 59.00 Enter net prairie or. ferny land
 80.00 Set post cor. to sec. 10, 11, 14, 15 from which
 a W. Oak 20 in. dia. bears at 56 $\frac{1}{2}$ W 766 lks
 a B. Oak 20 in. dia. bears at 75 $\frac{1}{2}$ E 489 lks. dist.
 First 59.00 Rolling dry Rollaway net
 3 rate land

East on Random Between Secs. 11 & 14

5.00 Leave Boggy Land
 40.00 Set temp. gr. Sec. post
 46.00 Enter net Boggy land
 53.00 Leave same possible for a Stream
 to pass through this swamp without a

T. 26 N., R. 4 W. 2. Mer. Ind. a

Chp. 26.

Channel

79.27 Intersected C. Boundary 21 lks. N. of Mound
Land mostly level & wet 3rd rate

West Corrected Between Secs. 11 & 14

39.63 Raised gr. Sec. Mound at aver. dist.

79.27 Sec. Cor.

North Between Secs. 10 & 11

5.00 Leave Boggy land

15.00 Enter timber

27.50 Enter wet prairie

28.00 Appearance of a Stream S.E.

30.00 Leave wet prairie and enter grove

40.00 Set gr. Sec. post from which

a B. Oak 6 in. dia. bears S 42 W 28 lks. dist. &

" Hickory 20 " " " N 42 E 41 " "

42.00 Enter prairie

80.00 Set post cor. to sec. 2, 3, 10, 11. from which

a Hickory 20 in. dia. bears N 65 W 360 lks. dist. &

no other trees convenient

Land level wet 3rd rate timber Oak Hickory
& Upr. Hazel, Sassafras &c

East on Random Between Secs. 2 & 11

2.75 Enter pond raised mound at meandering point

9.50 Enter small Island with scattering timber

16.00 Enter ~~large~~ pond covered with Sec.

31.00 Leave pond Sec. Meanders

40.00 Set temp. gr. Sec. post

79.34 Intersected C. Boundary 20 lks. N. of post on road
Level poor. wet 3rd rate land timber scattering
Oak &c

West Corrected Between Secs. 2 & 11

39.67 Set gr. Sec. mound in prairie

Vol. 15.

Chs. Lks.

48.34 Set mound on true line at meandering point
79.34 Sec. Cor.

North Between Secs 28 & 3

3.00 Enter a pond set meandering post
7.18 Leave pond and set post at meandering point
17.00 Enter Grove of scrubby timber
23.14 a B. Oak 18 in. dia
29.00 Leave grove enter wet land
40.00 Raised gr. Sec. Mound
60.00 Enter pond of ice
70.00 Leave same mostly C & N. C. 10. or. 12 acres
84.98 Intersected N. Boundary 160 lbs. E. of mound
were raised mound cor. to sec. 2. 3 Level wet
3^d rate land timber Oak &c

North Between Secs 33 & 34

40.00 Raised mound for gr. Sec. post
80.00 Raised mound cor. to sec. 27, 28, 33.
Level 3^d rate land prairie

East on Random Between Secs 27 & 34

40.00 Set temp. gr. Sec. post
49.50 Enter pond
52.50 Leave same dry cor. 8 acres
80.06 Intersected E. Boundary 28 lbs. E. of post or mound
Rolling 3^d rate land prairie land

West Corrected Between Secs 27 & 34

40.03 Raised gr. Sec. post or mound at aver. dist
80.06 Sec. Cor.

North Between Secs 27 & 28

40.00 Raised gr. Sec. mound
80.00 Raised mound cor. to Sec. 21, 22, 27, 28
Land Rolling 2^d & 3^d rate

T. 20 N., R. 4 W. 2. Mer. Ind.^a

Chs. Lks.

East on Random Between Secs. 22 & 27

40.00 Set temp. gr. Sec. post

80.10 Intersected C. Boundary 43 lks. N. of mound
Rolling 3^d rate land

West Corrected Between Secs. 22 & 27

40.05 Set gr. Sec. post at aver. dist.

80.10 Sec. Cor.

North Between Secs. 21 & 22

40.00 Raised gr. Sec. Mound

47.00 Enter wet rough land

80.00 Raised mound cor. to sec. 15. 16. 21. 22

Land level first 47.00 dry 2^d rate Balance
wet 3^d rate land

East on Random Between Secs. 15 & 22

9.50 Leave wet rough prairie

37.00 High rolling land

40.00 Set temp. gr. Sec. post

80.05 Intersected C. Boundary 22 lks. N. of Mound

Land part level wet part high rolling 3^d rate

West Corrected Between Secs. 15 & 22

40.02 Raised gr. Sec. Mound at aver. dist.

80.05 Sec. Cor.

North Between Secs. 15 & 16

22.00 Leave wet boggy land

40.00 Raised gr. Sec. Mound

49.00 Enter pond

54.00 Leave do dry cor. 8 acres N.E.

80.00 Set post cor. to sec. 9. 10. 15. 16 where raised m=
ound Land level wet 3^d rate

East on Random Between Secs. 10 & 15

T. 26 N., R. 4 W. 2. Mer. Ind. ^a

Chs. 2nd.

10.00 Enter pond
 12.50 Leave same dry
 40.80 Set temp. gr. Sec. post
 61.00 Enter pond
 63.00 Leave do dry
 68.50 Enter wet rough prairie land
 80.09 Intersected C. Boundary 27 lks N. of post
 Level wet 3rd rate prairie

West Corrected Between Secs 10 & 15
 40.04 Set gr. Sec. Mound at aver. dist
 80.09 Sec. Cor.

North Between Secs 9 & 10
 40.00 Enter scrubby timber were set a gr. Sec. post
 a B. Oak 6 in. dia. bears N 22 W 50 lks. dist. &
 " Do 6 " " " N 36 E 23 " "
 66.63 Hickory 10 " "
 80.00 Set post cor. to sec. 3, 4, 9, 10 from which
 a B. Oak 10 in. dia. bears S W 1/2 E 22 0 lks. dist. &
 " Do 6 " " " S 71 1/2 E 188 " "
 Land level wet 3rd rate timber Oak Hickory &c
 Upr. Hickory Hazel &c

East on Random Between Secs 3 & 10
 15.00 Enter a pond
 20.00 Leave the same mostly N. 10 or 15 acres
 79.50 Intersected C. Boundary 32 lks. N. of post
 Land level poor. barrens 3rd rate Scattering Oak
 Hickory &c

West Corrected Between Secs 3 & 10
 39.75 Raised gr. Sec. Mound at aver. dist. no trees
 79.50 Sec. Cor.

North Between Secs 3 & 4

Mts. Shs.

- 40.00 Set gr. Sec. post from which
a W. Oak 24 in. dia. bears S 85 E 59 lbs. dist. a
a Do 24 " " " N 80 W 64 " "
- 43.00 Enter pond
- 50.00 Leave same 12 or 15 acres area
- 51.00 a W. Oak 15 in. dia.
- 53.50 Enter pond dry course E & W
- 67.00 Leave Same
- 76.50 Enter pond or. wet prairie N. E
- 84.20 Intersected N. Boundary 2226. of post set post
cor. to sec. 3 & 4 from which
a B. Oak 6 in. dia. bears S 63 W 33 lbs. dist. &
No other trees convenient Land in this
Level wet 3^d rate land timber Oak Hickory &c
Mgr. Hazle Hickory &c

North Between Secs 32 & 33

- 30.00 Enter wet swampy land
- 40.00 Raised gr. Sec. Mound
- 58.00 Leave wet ferny land
- 60.00 a Small grave bears E. 5 or 6.00 lbs or 3 or 4 a. area
- 80.00 Raised Mound cor. to sec. 28. 29. 32. 33
Land part level & wet part rolling good 2^d
3^d rate

East on Random Between Secs 28 & 33

- 38.00 Enter wet rough land
- 40.00 Set temp. gr. sec. post
- 68.00 Leave wet land
- 80.43 Intersected E. Boundary 19 lbs. N. of Mound
Land part level & dry 2^d rate part level wet
3^d rate land

West Corrected Between Secs 28 & 33

- 40.21 Set gr. Sec. mound at aver. dist.
- 80.43 Sec. Cor.

T. 26. N., R. 4 W. 2. Mer. Ind.^a
 Lho. dist.

North Between Secs. 28 & 29

40.00 Raised gr. Sec. Mound

80.00 Raised Mound cor. to Secs. 20. 21. 28. 29

The whole of this line is level rich 2^d rate
 destitute of timber

East on Random Between Secs. 21 & 28

80.00 Enter wet rough prairie land

40.00 Set temp. gr. Sec. post

41.00 Leave wet ferry land

80.82 Intersected E. Boundary 6 lks. et. of post cor. mound

Mostly level wet 2^d & 3^d rate land

West Corrected Between Secs. 21 & 28

40.41 Raised gr. Sec. Mound at aver. dist.

80.82 Sec. Cor.

North Between Secs. 20 & 21

40.00 Raised gr. Sec. Mound

63.00 Enter pond

67.00 Leave the same et. E. & S. W. 10 or 12 acres

80.00 Raised Mound cor. to sec. 16. 17. 20. 21

Land level mostly wet & 3^d rate

East on Random Between Secs. 16 & 21

28.00 Enter pond et. E.

32.00 Leave Same

40.00 Set temp. gr. Sec. post

60.00 Enter wet swampy rough land

80.76 Intersected E. Boundary 24 lks. et. of post

Level wet 3^d rate land

West Corrected Between Secs. 16 & 21

40.38 Set gr. Sec. Mound at aver. dist.

80.76 Sec. Cor.

T. 26 N., R. 4 W. 2. Mer. Ind.

49

Sh. 210.

North Between 16 & 17

40.00 Raised gr. Sec. mound

80.00 Raised mound cor. to Sec. 8. 9. 16. 17

Level 2 rate land

East on Random Between Sec. 9 & 16

40.00 Set temp. gr. Sec. post

80.69 Intersected E. Boundary 23 lks. N. of post on mound

West Corrected Between Sec. 9 & 16

40.34 Set gr. Sec. Mound at aver. dist.

80.69 Sec. Cor.

North Between Sec. 8 & 9

14.00 Enter a Swamp E & N. E.

24.50 Leave the same

40.00 Raised gr. Sec. mound

47.00 Enter pond

58.50 Leave the same 80. W. across area mostly E. of line

59.00 Enter Scattering timber

79.57 a W. Oak 24 in. dia.

80.00 Set post cor. to sec. 4. 5. 8. 9 from which

a W. Oak 24 in. dia. bears et 76 W 74 lks. dist. &

a Do 22 " " " 99 E 52 " "

Level poor wet 3 rate land W. Oak Hickory &c

East on Random Between Sec. 4 & 9

3.00 Enter rough prairie

18.00 Scattering timber

40.00 Set temp. gr. Sec. post & enter wet prairie

49.00 Timber

59.00 Enter wet prairie

80.13 Intersected E. Boundary 27 lks. N. of post

Level poor 3 rate land timber Oak Hickory
Ugr. Hayle Hickory Oak &c

T. 26 N., R. 4 W. 2^d Mer. Ind. ^aChs. 2nd.

West Corrected Between Secs. 48 & 5

40.06 Set gr. Sec. post at aver. dist. from which
 a W. Oak 22 in. dia. bears N 89 E 405 lks. dist. &
 a B. Oak 5 " " " N 71 W 130 " "

80.13 Sec. Cor.

North Between Secs. 48 & 5

7.00 Enter wet rough prairie
 16.50 Timber very small
 24.61 an Aspen 6 in. dia.
 31.50 Enter pond N 68 E W
 35.50 Leave same
 40.00 Set gr. Sec. post from which
 a W. Oak 20 in. dia. bears N 29 W 45 lks. dist. &
 a B. Oak 22 " " " S 11 E 9
 47.50 Enter pond
 62.00 Leave the same covered with ice
 63.00 Enter Scattering timber
 71.69 a B. Oak 22 in. dia.
 75.50 Enter wet prairie
 83.74 Intersected N. Boundary 174 lks. E. of post
 Set post cor. to Sec. 48 & 5 from which
 a W. Oak 20 in. dia. bears S 20 W 428 lks. dist. &
 No other Bearings convenient
 Part level part rolling poor wet barren 3^d
 rate land timber Oak Hickory Aspen &c
 Upr. Hickory Oak Sassafras &c

North Between Secs. 31 & 32

8.00 Enter Swamp
 15.00 Leave the same
 25.00 Enter pond
 29.00 Leave "
 32.00 Enter Scattering timber 30 or 40 acres E & W
 40.00 Set gr. Sec. post from which
 a Hickory 4 in. dia bears N 45 E 41 lks. dist. &

lbs. & lbs.

- a Hickory 4 in. dia. bears N 66 $\frac{1}{2}$ W 28 lbs. dist.
- 50.00 Scattering timber
- 60.00 Open prairie
- 67.00 Enter pond
- 71.00 Leave the same mostly E. of the line Suppose
Area 10 Acres
- 80.00 Raised Mound cor. to Sec. 29. 30. 31. 32
Mostly wet level 3rd rate land Timber Oak
Hickory & Upr. Hickory &c

East on Random Between Secs 29 & 32

- 40.00 Set temp. gr. Sec. post
- 80.14 Intersected E. Boundary 16 lbs. N. of mound
First 50.00 level wet 3rd rate Balance dry
2nd rate land

West Corrected Between Secs 29 & 32

- 40.07 Raised gr. Sec. mound at aver. dist.
- 80.14 Sec. Cor.

West Between Secs 30 & 31

- 9.00 Enter pond
- 15.00 Leave do dry 8 acres area
- 40.00 Raised gr. Sec. mound
- 77.63 Intersected W. Boundary 8 lbs. E. of post or mound
Raised a mound cor. to Sec. 30. 31
Level wet 3rd rate land

North Between Secs 29 & 30

- 40.00 Raised gr. Sec. mound
- 80.00 Raised mound cor. to Secs 19. 20. 29. 30
Level wet inferior 2nd rate land

East on Random Between Secs 20 & 29

- 40.00 Set temp. gr. Sec. post
- 80.00 Intersected E. Boundary 24 lbs. N. of mound

T. 26 N., R. 4 W. 2^d Mer. Ind.ⁿ
 Q. No. 240

Level wet 2^d rate and 3^d rate land

West Corrected Between Secs. 20 & 29

40.00 Raised gr. Sec. Mound at aver. dist.

80.00 Sec. Cor.

West Between Secs. 19 & 30

40.00 Raised gr. Sec. Mound

44.00 Enter wet pond

66.00 Leave same this pond contains 18 or 20

Acres but part covered with water at present

77.80 Intersected W. Boundary 18 lks. N. of mound

Raised a mound cor. to sec. 19. 30.

Level wet 3^d rate land

North Between Secs. 19 & 20

40.00 Raised gr. sec. Mound

74.00 Enter pond C & W

76.50 Leave same

80.00 Raised a mound cor. to sec. 17. 18. 19. 20

Land level 3^d rate

East on Random Between Secs. 17 & 20

40.00 Set temp. gr. Sec. post

79.88 Intersected E. Boundary 17 lks. E. of Mound.

At 65.00 lks level wet 3^d rate Balance dry

2^d rate all prairie

West Corrected Between Secs. 17 & 20

39.94 Raised gr. Sec. Mound at aver. dist

79.88 Sec. Cor.

West Between Secs. 18 & 19

40.00 Raised gr. Sec. Mound

45.00 Enter pond.

65.00 Leave the same dry 18 or 20 Acres Area

T. 20 N., R. 4 W. 2. Mer. Ind.^a

Wm. Shs.

77.80 Intersected W. Boundary 15 lks. N. of Mound
 Raised Mound cor. to sec. 18. 19
 Level wet poor. 3^d rate prairie land

North Between Secs. 17 & 18

40.00 Raised gr. Sec. Mound
 80.00 Raised Mound cor. to sec. 7. 8. 17. 18
 Level wet 3^d rate land

East on Random Between Secs. 8 & 17

40.00 Set temp. gr. Sec. post
 79.86 Intersected E. Boundary 28 lks. N. of post on mound
 Level wet 3^d rate land all prairie

West Corrected Between Secs. 8 & 17

39.93 Set gr. Sec. post at aver. dist. from which
 a Stone 19 lks. girt. bears N 52 $\frac{1}{2}$ W 210 lks. dist. a
 a Do 14 in dia. bears S 38 E 120 " "
 79.86 Sec. Cor.

West Between Secs. 7 & 18

40.00 Raised gr. Sec. Mound
 77.93 Intersected W. Boundary 24 lks. N. of Mound
 Raised Mound cor. to Secs. 7 & 18
 Land level 2^d & 3^d rate

North Between Secs. 7 & 8

40.00 Raised gr. Sec. Mound
 43.00 Enter pond covered with Ice
 47.00 Leave same mostly E. 10 or 12 acres
 74.00 Scattering timber
 76.00 Enter wet prairie on Ice
 80.00 Set post cor. to sec. 5. 6. 7. 8 from which
 a B. Oak 18 in. dia. bears S 1 $\frac{1}{4}$ W 5.00 lks. dist. a
 a W. Oak 18 " " " North 5.38 " "
 Level poor 3^d rate land timber scrubby Oak Hickory

T. 20 N., R. 4 W. 2^d. Mer. Ind.?

Obs. Lks.

East Between Secs. 5 & 8

53.00 on the Ice leave pond

63.50 Enter timber land

79.43 Intersected E. Boundary 26 lks. E. of post
Level met 3^d rate land good for nothing except
trapping timber but scarce Oak &cWest But no correction after blaying a few trees
on true line the gr. sec. cor. not established
by either mound or bearing trees in consequence
of Ice water and no timber

West Between Secs. 6 & 7

21.50 Leave wet prairie and enter timbered land

40.00 Set gr. Sec. post from which

a B. Oak 20 in. dia. bears S 34 E 39 lks. dist. &

a Do 24 " " " N 11 E 58 " "

70.00 Enter wet prairie

78.37 Intersected W. Boundary at post

See Bearing trees for Secs. 18 & 12 Range 5 &c

Level met 3^d rate land timber low scrubby

B. Oak Ugr. Oak Willow &c

North Between Secs. 5 & 6

5.00 Leave Swamp

14.00 Enter arm of a large swamp bearing 68 W
This swamp appears to connect these
Swamps on each side of line

25.00 Leave Same

26.00 Scattering W. Oak &c

40.00 Set gr. Sec. post from which

a B. Oak 28 in. dia. bears S 20 W. 44 lks. dist. &

a W. Oak 22 " " " N 22 E 85 " "

71.50 Enter prairie

83.57 Intersected N. Boundary 21 lks. E of post

Set post cor. to Secs. 5 & 6. from which

T. 26 N., R. 4 W. 2. Mer. Ind. ^a

^a W. Oak 20 in. dia. bears S 45 E 12.90. lks. dist

^a Do 24 " " " S 1 1/2 W 12.72 " "

Level poor 3^d rate land timber W. Oak Hick-
ory &c

January 10th 1829

Meanders of a Pond in Sect. 2, 3 & 11. Beginning
at post in line between Sect. 2 & 11 which stands in
a mound 31.00 Chs. E. of cor. of sec. 2, 3, 10 & 11, thence

Course	Chs. Lk.	Remarks.
S 10 W	8.00	In Sec. 11
S 74 W	8.00	
S 47 W	4.50	
N 51 W	10.00	
N 89 W	9.00	
N 13 E	6.91	to post in line between Sect. 2 & 11 - 2.75 Chs. E. of sec. cor.
N 13 E	1.59	In Sec. 2
N 67 1/2 W	3.85	to post in line between Sect. 2 & 3 - 3.00 Chs. N. of sec. cor.
N 67 1/2 W	1.15	In Sec. 3
S 60 W	4.00	
N 68 W	4.00	
North	4.00	
N 88 E	8.17	to post in line between Sect. 2 & 3 - at 7.18 Chs. N. of Sec. cor.
N 88 E	11.83	In Sec. 2
S 50 E	4.00	
S 75 E	8.00	
S 87 E	4.00	
S 53 1/4 E	5.49	to the place of Beginning.
Carefully transcribed from the original Field Notes taken on a scrap.		

T. 26 N., R. 4 W. 2. Mer. Ind.^a

The day on which I finished this Township, one or two Ponds unexpectedly were found, which might have been meandered; but having ordered my Campkeepers for home in the morning when we set out to the lines, I could not attend to this part of the work without suffering hunger and cold for 24 hours, and from the quality of the soil adjoining those Ponds, it really appeared useless to ever execute this part of the business

Pursuant to a contract with and instructions from Edward Tiffin Surveyor General of the United States bearing date August 26. 1828, I have measured laid out & surveyed the within described Township N.^o 26 North, Range N.^o 4 W. And do hereby certify that it had such marks and bounds both natural and artificial as are represented and described in the preceding field notes, made thereof and returned into the Surveyor General's Office. Certified this 21st day of January 1829
Thomas Brown, Dep. Surveyor.

I certify that the foregoing transcript of field notes of the survey of Township N.^o 26 North, in Range N.^o 4 West of the 2^d Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct,

Surveyor General's Office,
Cincinnati, Nov.^r 3. 1842

William Johnston
Sur. Genl.